



HOSPITAL FURNITURE CATALOGUE

2022



About Us

Innovation Surgical Company is a pioneer for Medical Equipments & Hospital Furnitures industry in India. The company, simply known as ISC in the global market, has been in the field of supplying quality surgical & hospital appliances and allied products for last few years. Over the years, ISC has been credited with setting the benchmark of excellence in quality, R&D and customer service. Today, by combining cutting-edge technology and science, we are able to provide health care industry with the best of medical care equipment and Hospital Furniture and that too at the most reasonable rates. This is our endeavour towards mankind so that no one can be denied proper treatment for want of money.

Our Infrastructure

The main competitive advantage of our organization is our state-of-the-art infrastructure facility. It is further divided into different segments such as Quality Control, Manufacturing Unit, Research and Development Unit And Warehousing And Packaging Unit. All these departments are managed by our highly skilful and experienced personnel. We have installed some of the advanced and sophisticated tools and machinery. Thus, we are able to offer flawless range of Surgical and Hospital Equipment.

Our Team

We are supported by a highly experienced team of experts. Our staff is highly appreciated for the durable and reliable products and pay keen attention to the designing of the products. Our research and development team makes all possible efforts to improve and enhance the quality of products at all levels.

Certificates



Our Clients



**FIVE FUNCTION ICU
ELECTRIC BED
(IMPORTED WHEEL)**

(ISC 1001)

Description:

1. Advance linear actuator system [04 pcs motor, 01 pc control box, 01 pcs handset]
2. Four pieces individual side-rails, ABS Moulded.
3. ABS moulded head and foot panel with locking and corner buffer.
4. Framework made of Rectangular M.S. tube.
5. 4 section top made-up of oval perforated CRCA M.S. sheet.
6. Bed mounted on 5" Dia castors.
7. S.S. telescopic I.V. rod with 4 locations.
8. Holder for urine bag.
9. Overall approx. Size: 2090L X 910W X 460-700H MM.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Positions obtained by hand remote:
Hi-Low
Backrest elevation
Kneerest elevation



**FIVE FUNCTION ICU
ELECTRIC BED
(ISC 1002)**



Description:

1. Four Pieces individual Side-rails, ABS Moulded.
2. ABS Head and Foot Panel with locking and corner buffer.
3. Framework Made-up of M.S Tubes.
4. 4 section top made-up of Oval perforated CRCA M.S Sheet.
5. Bes Mounted on 5" Imported Castors, 2 with brakes.
6. S.S Telescopic I.V Rod with 4 locations.
7. Holder for Urine Bag.
8. Finish: Pretreated & Epoxy Powder Coated.
9. Overall Approx. Size: 2090L x 910W x 460-700H MM.
10. Positions Obtained function by Hand Remote.
Hi-Low
Backrest elevation
Kneerest elevation
Trendlenburg/ Reverse Trendlenburg

Optional :

- 4 Section Mattress

FIVE FUNCTION MECHANICAL ICU BED (ISC 1003)



These are offered with the hi-low trendelenburg and head & leg side adjustments.

Specifications:

Size: 2250 mm L X 1015 mm W X 625 / 820 mm H

Mattress size: 2010 mm L X 910 mm W four

perforated top section

Features:

Head & Leg side adjustments (Head side 90° up & Leg side 60° up)

A set of imported split rails

Hi-low 625 mm to 900 mm

SS I.V. rod with four location

SS/ABS head and leg bows fitted

Four swivel castor 150 mm dia, two with breaks

Finish with Epoxy Powder coated

THREE FUNCTION ELECTRIC ICU BED (ISC 1005)



FIVE FUNCTION MECHANICAL ICU BED (COLLAPSIBLE RAILING) (ISC 1004)

Description :

OVERALL SIZE: 2300mm L X 1050mmW X 550mm-800mm H(Adjustable)

SUITABLE SIZE FOR MATTRESS: 1980mm L X 890mm W

- Four section perforated CRCA sheet top.
- Backrest, Knee rest, Trendelenburg, Reverse Trendelenburg & Height Adjustable operated by screw and lever mechanism with four separated S.S. folding handles.
- ABS head & Leg Bow.
- A pair of new design collapsible railing.
- Four heavy duty swivel castors (two with brake).
- Saline rod.
- Pretreated and epoxy powder coated.



Description:

1. Advance liner actuator system [03 Pcs Motor, 01 Pc Control box, 01 Pcs Handset].
2. Four Pieces individual Side-rails, ABS Moulded.
3. ABS Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S.Sheet
6. Bed Mounted on 5" Castor, 2 with brakes.
7. S.S. Telescopic I.V. Rod with 4 Hook and at 4 Locations.
8. Holder for Urine Bag.
9. Finish: Pre-treated & Epoxy Powder Coated.
10. Overall Approx. Size: 2090L x 910W x 460-700H MM.
11. Positions Obtained function by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation

Optional:

4 Section Mattress

Also available in Collapsible Railing.

FULL FOWLER ELECTRIC BED (ISC 1006)

Description:

Advance Linear Actuator system 02 Pcs Motor,
01 Pc Control Box, 01 Pc Handset.
Four pieces individual side rails, ABS Moulded.
ABS Moulded Head and Foot panel with locking
and corner buffer.
Frame work made of Rectangular M.S. Tube.
4 section top made up of Oval perforated CRCA
MS Sheet.
Bed Mounted on 5" Dia Castor.
Holder for Urine bag.
S.S Telescopic IV Rod with 4 Locations.
Overall Approx Size: 2090L x 910W x 460-700H MM.
Finish: Pretreated & Epoxy Power Coated.
Positions obtained by hand Remote.
Backrest elevation Kneerest elevation.



DELUX FULL FOWLER BED (MANUAL) (ISC 1008)



SUPER DELUX FULL FOWLER BED (MANUAL) (ISC 1007)



Description:

- ABS molded Head and Foot panel with locking and corner buffer.
- A set of 4 ABS split rails for royal look.
- Frame work made of Rectangular M.S. tube
- Four section top made up of Oval perforated CRCA MS Sheet.
- Bed Mounted on 4" Dia VCastor. 2 with brakes.
- Four Location for IV Rod.
- Overall Approx Size: 2200mm L x 1050mm W x 610 mm H.
- Finish: Pretreated & Epoxy Power Coated.
- Position Obtained by Screw & Lever mechanism with S.S. foldable handles:
 1. Backrest elevation
 2. Kneerest elevation

Description:

- ABS molded Head and Foot panel with locking and corner buffer.
- A pair of New Design Collapsible Side railings (1320mm long).
- Frame work made of Rectangular M.S. tube
- Four section top made up of Oval perforated CRCA MS Sheet.
- Bed Mounted on 4" Dia VCastor. 2 with brakes.
- Four Location for IV Rod.
- Overall Approx Size: 2200mm L x 1050mm W x 610 mm H.
- Finish: Pretreated & Epoxy Power Coated.
- Position Obtained by Screw & Lever mechanism with S.S. foldable handles:
 1. Backrest elevation
 2. Kneerest elevation

**FULL FOWLER BED
(ISC 1009)**



Description:

- Approx: 2070 mm L X 910 mm W X 600 mm H
- Mattress size: 2010 mm L x 910 mm W Four section perforated top

Features:

- SS head & leg bows with laminated panels
- "D" type railing both side (drop side rails)
- SS i.v. rod with four location
- Four swivel castor 100 mm dia (two with brakes)
- Pre treated and epoxy powder coated
- Optional accessories at extra cost.
- Saline rod SS/MS

**SUPER DELUX SEMI
FOWLER BED
(ISC 1011)**



Description:

1. Advance linear actuator system [01 Pcs Motor, 01 Pcs Control box, 01 Pcs Handset]
2. ABS Head and Foot Panel with locking and corner buffer.
3. Frame work made of Rectangular M.S Tube
4. 2 Section Top made-up of oval perforated CRCA M.S Sheet.
5. Leg fitted with PVC Stumps.
6. Four Locations for I.V Rod
7. Finish: Pretreated & Epoxy Power Coated.
8. Overall Size: 82L X 36W X 24H inch
9. Positions Obtained by Crank mechanism
10. Back rest elevation

- Optional: Semi Fowler bed Mattress, collapsible side railings, Wheels.

**ELECTRIC SEMI FOWLER BED
(ISC 1010)**

Description :

Advance Linear Actuator system 01 Pcs Motor, 01 Pc Control Box
ABS Moulded Head and Foot panel.
Frame work made of Rectangular M.S. Tube.
2 section top made up of Oval perforated CRCA MS Sheet.
Holder for Urine bag.
S.S. Telescopic IV Rod with 4 Locations
Overall Approx Size: 2090L x 910W x 460-700H MM.
Finish: Pretreated & Epoxy Powder Coated
Positions obtained by hand Remote:
Backrest elevation



**DELUX SEMI FOWLER BED
(ISC 1012)**



Description:

OVERALL SIZE: 2200mm L X 1050mm W X 610mm H

- Two section perforated CRCA sheet top
- Polymer moulded Head & Leg Bows
- A pair of New design collapsible railings
- Four heavy duty castors 100mm dia (two with brake)
- Two loacations for IV rod
- Pre treated and Epoxy powder coated
- Optional Accessories At extra cost:

Saline rod MS/SS

SEMI-FOWLER BED (ISC 1013)



Description:

1. Single function manual bed suitable for back rest.
 2. Bed platform of 2 section uniformly perforated 18g CRCA Sheet.
 3. Easily detachable MS head & Foot end Bows.
 4. Top frame made from 60mm x 30mm ERW tube.
 5. Four IV provisions with nylon inserts to
 6. Legs made of square /round tube.
 7. Pre-treated & Epoxy Powder Coated.
 8. Overall Size: 81L X 35W X 24H inch
- Optional: MS side railings, IV rod, Wheels & Mattress.

HOSPITAL PLAIN BED DELUX (ISC 1015)



Description:

- Size: 1900mm x 900mm x 550mm H
Plain bed uniformly perforated.
1 Section top in 20 swg CRCA sheet.
Easily detachable polymer Head and Foot end bows.
Urine hooks below the bed on either sides.
100 mm Diagonally locking Castors.
I.V. position at all the four corners of the Bed.

SEMI-FOWLER BED WITH BABY COT (ISC 1014)



Description:

1. Frame work made of angular M.S tube.
 2. Top made of CRCA 18/20G Sheet
 3. Tubular Head & Foot bows of unequal height.
 4. Overall Size: 72L X 35W X 24H inch.
 5. Finish: Epoxy Powder Coated
 6. MS Cradle made of 5mm bar easily detachable can be attached to the bed.
 7. Provided Mattress inside the cradle.
- Optional: MS side railings, IV rod, Wheels & Mattress.

HOSPITAL PLAIN BED GENERAL (ISC 1016)



Description:

- Overall size : 180L X 60W X 46H cms
Framework Made-up of rectangular / Square M.S Tubes.
5cm foam padded fixed mattress covered with rexine
Legs fitted with PVC Stumps.
Finish : Pretreated & Epoxy Powder Coated.

PEDIATRIC BED (ISC 1017)



Description:

1. Tubular Head and Foot Bows of unequal height with vertical tube support.
2. Framework Made-up of M.S. Tubes.
3. Top made-up of Oval perforated CRCA M.S Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V Rod.
6. Full length drop side rails on both sides.
7. Finish: Pretreated & Epoxy Powder Coated.
8. Overall Approx. Size: 1480L x 840W x 600H MM
9. Bed frame approx size: 1370L x 760w MM

Optional:

- Plain Mattress.
- S.S. Telescopic I.V. Rod

OPD COUCH (ISC 1019)



Description:

1. Overall size: 71L X 24W X 18H inch
2. Framework Made-up of Rectangular /Square M.S Tubes.
3. 5cm foam padded fixed mattress covered with Rexene
4. Legs fitted with PVC Stumps.
5. Finish: Pretreated & Epoxy Powder Coated.

ATTENDENT BED (ISC 1018)



Description:

1. Frame work made of rectangular M.S tube.
2. Fitted with perforated CRCA sheet top
3. Stainless Steel tubular Head & Foot Bows.
4. Legs fitted with PVC stumps.
5. Overall Size: 66L X 24W X 18H inch
6. Epoxy Powder Coated.

EMERGENCY AND RECOVERY TROLLEY HYDRAULIC (ISC 1020)



Description:

1. Overall approx. dimensions 210L x 65W cms.
2. Two section top with removable X-ray permeable stretcher, made of pre-laminated board supported on tubular frame.
3. Height adjustable by foot operated imported hydraulic pump from 65-95 cms
4. Gas spring assisted Trendlenburg/Reverse Trendlenburg positions
5. Backrest raised on ratchet
6. Four Swivel castors 5" dia. two with brake
7. Synthetic rubber covered pushing handles
8. Sliding X-Ray cassette holder
9. Oxygen cylinder cage 7 storage tray
10. S.S. I.V. Rod along with provision at four location and swing away type stainless steel side rails.
11. Pre-treated & Epoxy Powder Coated finish.
12. Supplied with Mattress.

EMERGENCY AND RECOVERY TROLLEY MANUAL

(ISC 1021)



Description:

1. Overall approx. dimensions 210L x 65W cms.
2. Two section top with removable X-ray permeable stretcher, made of pre-laminated board supported on tubular frame.
3. Height Trendelenburg/Reverse Trendelenburg positions obtained by crank mechanism with foldable handles.
4. Backrest raised on ratchet
5. Four Swivel castors 5" dia. two with brake
6. Synthetic rubber covered pushing handles
7. Oxygen cylinder cage 7 storage tray
8. S.S. I.V. Rod along with provision at two location and collapsible stainless steel side rails.
9. Pre-treated & Epoxy Powder Coated finish.
10. Supplied with Mattress.

STRETCHER TROLLEY SS TOP MS BODY (ISC 1023)



Description:

- Overall size 84L x 22W x 32H inch
- M.S tubular construction with SS removable stretcher
- Mounted on 100mm dia. Castors (Two with breaker)
- Epoxy Powder Coated

STRETCHER TROLLEY (SS) (ISC 1022)



Description:

- Overall size 84L x 22W x 32H inch
- Stainless Steel tubular construction with S.S removable stretcher
- Mounted on 150mm dia. Castors (Two with breaker)
- Both side IV attachments with ones s.s IV double hook rod.

DELUXE STRETCHER TROLLEY (ISC 1024)



Specification:

- Size: 1980 mm L X 560 mm W X 820 mm H

Features:

- MS tubular frame work
 - Top SS quality of '304'
 - Saline Rod, Utility Tray, Oxygen Case, Safety Rails
 - Swivel castors 100 mm or 125 mm D.B. castors
 - Finish with powder coated paint/polish
- Available in Full stainless steel

**FOLDING STRETCHER
SINGLE FOLD
(ISC 1025)**

Description:

- Aluminium folding lengthwise as well as width wise
- 2 fold, provided with bag
- Unfolded size: 221L x 53W x 15H cms
- Folded size: 110L x 18W x 11H cms
- Load Bearing capacity 159 Kgs.
- Gross wt. 6 Kg, Net wt. 5 Kg.



**SUPER DELUXE BEDSIDE
LOCKER
(ISC 1027)**

Description:

- Size: 410 mm square
- Height: 810 mm

Features:

- CRCA sheets enclosed on three side having one drawer and one box
- ABS top quality of with raised edge on four sides
- Cabinete Door is ABS. and Drawer Cover is Abs
- Mounted on 50 mm D.B. castor
- Finish with paint



**FOLDING STRETCHER
FOUR FOLD
(ISC 1026)**



Description:

- Aluminium folding lengthwise as well as width wise
- 4 fold, provided with bag
- Unfolded size: 210L x 53W x 12H cms
- Folded size: 61L x 30W x 12H cms
- Load Bearing capacity 159 Kgs.
- Gross wt. 7 Kg, Net wt. 6 Kg.

**DELUXE BEDSIDE LOCKER
(ISC 1028)**



Description:

These Deluxe Bedside Lockers are ideally placed at the bedside so that all the stored products remain within the reach.

Specification:

- Size: 410 mm square
- Height: 810 mm

Features:

- CRCA sheets enclosed on three side having one drawer and one box
- SS top quality of '304' with raised edge on four sides
- Mounted on 50 mm D.B. castor
- Finish with paint

**SEMI DELUXE LOCKER
(ISC 1029)**



Description:

- Size: 410 mm square, Height: 810 mm

Features:

- MS square/round construction
- CRCA sheets box
- Machine pressed top
- Covered with SS/Aluminum
- Finish with paint

**TWO DRAWER MEDICINE
TROLLEY
(ISC 1031)**



Description:

1. Overall Approx. Size: 30L X 18W X 32H inch
2. Frame work of MS tubes mounted on 7.5 cms castors.
3. 2 S.S Shelves with 3 side railing on top shelves.
4. Trolley has provided two drawers for medicine.
5. Epoxy Powder coated finish

**GENERAL BED SIDE LOCKER
(ISC 1030)**



Description:

- Size: 410 mm square, height: 810mm

Features:

- MS square/rounded construction
- CRCA sheet box
- Machine pressed top
- Convered with SS/Aluminum
- Finish with paint

**INSTRUMENT TROLLEY
(ISC 1032)**



Description:

- MS/SS frame work
- MS/SS rod for railing
- Wholly SS/SS Top
- Mounted on 50 mm/100 mm D.B. Castors
- Finish with heavy polish/paint
- Available Sizes: 30" x 18" x 32"
36" x 24" x 32"

FULL SS DRESSING TROLLEY (ISC 1033)



Description:

- Wholly Made Stainless Steel/MS Powder Coated.
- Two S.S. Shelves, Covered with Three Sides Rails
- Provided with S.S. Bowls & Bucket
- Mounted on Four 50mm/ 100 mm.

MEDICINE TROLLEY (4 DRAWER) (ISC 1035)



Description:

Frame work of MS Tubular/Square pipe.
 Mounted on 10cms castors,
 TWO SS shelves with guard railing on both shelves
 TWO MS drawers under the each shelf.
 Pretreated and epoxy powder coated.

FULL SS MEDICINE TROLLEY (ISC 1034)



Description:

Size: 660mm L X 457mm W X 812mm H
 Full Stainless Steel frame
 Stainless Steel Two Drawer Vertical Trolley with rails
 100mm grey rubber castors.

UTILITY TROLLEY (ISC 1036)



Description:

SS frame work
 SS shelves.
 6 Modular Drawers.
 1 SS Drawer at the bottom.
 100mm imported castors.

MAYOS TROLLEY (ISC 1037)



Description:

Size: 810mm L X 355mm W

Height: Adjustable 810mm to 1110mm

Features:

MS/SS square and rounded construction

Top tray SS (quality of '304')

Mounted on 50mm D.B Castor

Finish with paint or high quality polish

LAPAROSCOPY TROLLEY (ISC 1039)



Description:

800mm L X 600mm D X 1400H

SPECIFICATIONS:

4 Shelf one drawer.

Trolley having two handle

The trolley mounted on 125 mm dia. Castor two with brakes

Swith & socket for medical equipment

Supplied with ss I.V Rod and M.S O2 cylinder cage

Finish: Pretreated & epoxy powder coated paint.

Available with Keyboard Tray and Extra Shelveset

Extra Cost.

CRASH CART TROLLEY (ISC 1038)



Description:

Overall Approx Size: 940mm L x 490mm W x 1535mm H.

MS/SS tubular work

Six removable plastic bins and two polystyrene lockable storage units with three drawers each.

Four swivel Castors. 100mm dia. (Two with Brakes)

Complete with corner bluffers.

Oxygen cylinder holder S.S IV Rod S.S Top and electric lamp.

OXYGEN CYLINDER TROLLEY (ISC 1040)



Description:

Mobile on two fixed 10 cm. Castors. Pretreated, Epoxy coated finish.

**JUMBO OXYGEN CYLINDER
TROLLEY
(ISC 1041)**



Description:
Tubular structure with heavy duty 7" dia castors wheel. To support easy movement for jumbo cylinders . 4" revolving castors on rear and complete solid axel for the 7" castors.

**I.V STAND STAINLESS
(ISC 1043)**



Description:
Features:

- Height: adjustable 1050 mm to 1950 mm
- Base covered with S.S sheet
- Height adjustment knob
- Mounted on plastic castor
- High strength
- Durable
- Stain resistance
- Customized usability
- Available in S.S & M.S

**BEDSIDE SCREEN
(ISC 1042)**

Description:
Three fold screen with curtain. Pretreated epoxy finish. Overall size: 90W X 69H inch Castors dia 5cm



**MECHANICAL OVER
BED TABLE
(ISC 1044)**



Description:
Rectangular frame work mounted on 5 cms castors 30" x 16" ABS Top, adjustable by Gear Mechanism. Finish : Pre-treated and Epoxy Powder Coated.

**PATIENT FOOD TABLE
(GAS SPRING)
(ISC 1045)**

Description:
Food Table with adjustment by gas spring. Single section moulded top. Mounted on swivel castors Overall Dimension Top 812L x 406, 610- 1015H



**PATIENT OVERBED TABLE
(KNOB SYSTEM)
(ISC 1046)**



Description:
Rectangular frame work mounted on 5 cm castors 30" x 16"
laminated top adjustable by side knob.
Finish: Pre-treated and Epoxy Powder Coated.

**OVERBED TABLE GENERAL
(ISC 1047)**



Description:
Size of 810 mm L X 410 mm W
Features:
Ms round structure
Sanmica top
25 mm laminated panels (Sanmica)
50 mm Castor
Finish with powder coated paint

**BABY COT SS
(ISC 1048)**



Description:
1. Overall Approx. Size : 36" X 15" X 39"
2. Stand frame work made of SS 25 mm X 1.22 mm S.S tubular pipe
3. Legs fitted PVC Stumps
4. Wire mesh hanging cradle made of 19 mm X 1.22 mm SS tube and wire mesh on 5 mm thick

Also available in MS

**BABY CRADLE MS
(ISC 1049)**



Description:
1. Overall Approx. Size : 36" X 15" X 39"
2. Made of full MS 25 mm X 1.22 mm M.S tubular pipe
3. Legs fitted PVC Stumps
4. Wire mesh hanging cradle made of 19 mm X 1.22 mm CRC tube and wire mesh on 5 mm thick
5. Finish: Pre-treated and Epoxy Powder coated
Also available in SS

SURGIVAC (ISC 1050)



Description:

- Housing: Power Coated Anti Corrosive MS.
- Jars: Glass 2 x 1.5 liters capacity.
- Overflow Protection: Mechanical Type.
- Tubing: Non-Collapsible suction tubing.
- Vacuum Gauge: 2.5inch, 0-760 mm Hg.
- Filter: Bacterial filter Autoclavable / Reusable.
- Pump Type: Oil Immersed Rotary vane.
- Capacity: -710mmHg ± 10 at 25~30LPM
- Noise Level: SURGIVAC

POWERVAC (ISC 1052)



Description:

- Housing: Power Coated Anti Corrosive MS.
- Jars: Polycarbonate 2 x 2.0 liters capacity.
- Overflow Protection: Mechanical Type.
- Tubing: Non-Collapsible suction tubing.
- Vacuum Gauge: 2.0inch, 0-760 mm Hg.
- Filter: Bacterial filter Autoclavable / Reusable.
- Pump Type: Oil free twin headed piston pump
- Capacity: -730mmHg ± 10 at 55~60LPM
- Noise Level: <50db A ± 3 almost whispers
- Motor: Thermally Protected.
- Power: 220/230V AC, 50Hz, 180W
- Valves: Stainless Steel.

INSTAVAC (ISC 1051)

Description:

- Housing: Complete ABS (Plastic)
- Jars: Polycarbonate 2 x 2.0 liters capacity.
- Overflow Protection: Mechanical Type.
- Tubing: Non-Collapsible suction tubing.
- Vacuum Gauge: 3.0inch, 0-760 mm Hg.
- Filter: Bacterial filter Autoclavable / Reusable.
- Pump Type: Oil free twin headed piston pump
- Capacity: -710mmHg ± 10 at 32~35LPM
- Noise Level: <50db
- Motor: Thermally Protected.
- Power: 220/230V AC, 50Hz, 130W
- Valves: Stainless Steel.



MINI SUCTION (ISC 1053)



Description:

Compact and lightweight medical aspirators that has low vacuum & low flow performance. It has specially designed for use in intensive care, pediatric wards. It has an oil-free Rocker Piston pump with permanently lubricated bearings. It incorporates a 1.5 Liters Polycarbonate collection vessel fitted with a float valve system.

HIGH PRESSURE STEAM STERILIZER (ISC 1054)



Description:

Horizontal cylindrical Electrically operated at 440 volts. AC, 2phase, 50cycles.
 The sterilizer is pressure type steam jacketed, made from 304 quality stainless steel.
 All joints are argon arc welded.
 Fitted with multiport operating valve, sterilizing vacuum drier, Safety valve in jacket(spring), vacuum breaker, pressure gauge, Compound gauge, dial thermometer, perforated tray, plug screen, Steam trap and neoprene rubber gasket working pressure 20lbs p.s.i and Temperature range 2500 F,
 The door made of gun metal and covered with stainless steel lining and have automatic self locking devices.
 The boiler which is to be fitted below will be made of corrosion resistant 304 quality stainless steel it will be fitted with immersion heaters low water protection device, pressure controller, a contractor and toggle switch
SIZES:
 The sterilizer is mounted on tubular mild steel frame with ground leveling flangers.
 E.load
 16"X36" 6.0 K.W
 16"X48" 9.0 K.W
 20"X48" 12 K.W
 30"X48" 18 K.W

VERTICAL HIGH PRESSURE STERILIZER (ISC 1056)

Description:

Capacity of 11" x 9" 2pcs,
 11" x 11" 2pcs & 15" x 12" 2pcs
 12" dia x 20" H (3k.w. heater)
 12" dia x 24" H (4k.w. heater)
 16" dia x 24" H (5k.w. heater)

RECTANGULAR HIGH PRESSURE STEAM STERILIZER (ISC 1055)

Description:

Size/capacity: 190ltr-850ltr The sterilizer is based on the principle that microbiological action of Saturated steam at elevated temperature is rapid and through. All models work on principle of downward displacement of air which is most economical method obtaining sterilization.

Construction: Triple walled with steam storage, inner chamber, outer wall, lid and right are made of s.s.304 grade material with leak proof argon welding. autoclave is mounted on stainless steel frame with ground levelling screwed flanges
Equipped with: The pressure control device, digital temperature controller with digital timer & alarm low water cut off device, multiport valve etc. is incorporated. Operation temp & pressure:

Sterilizing temp: 121 to 134°C

Sterilizing pressure : 1.2 to 1.5 kg/cm² (15 psi-30 psi)

Power: suitable to operate on 440v, 3ph, 50 Hz, Ac supply



VERTICAL STERILIZER (ISC 1057)



Description:

Vertical sterilizer used for sterilizing of surgical instruments. Dressing material, linen, Rubber, plastic material, injection liquids by means of steam under pressure of 15 to 20 PSI. (Adjustable) All sterilizers are hydraulically tested up to 2.5 times of working pressure. Outer chamber made of stainless steel sheet reinforced with M. S sheet Lid is made of thick stainless steel plate single piece and closed by wing nuts arrangement. Joint less neoprene gasket does not allow leakage. Fitted with double safety valve, water level indicator, water inlet and drain valves, supplied complete with cord and plug but without dressing bins. To work on 220volts, single phase, 50 Hz AC supply. Available in following size Dia Depth Element Load total load A300 500 2 Nos. 2 Kw B 400 600 2 Nos. 3Kw 6Kw

AUTOCLAVE STERILIZER (ISC 1059)



Description:

- Available in Electric / Non Electric (fuel Based)
- Also available with semi – Automatic (Timer Based)
- Special features as per Autoclave cooker Type Aluminum
- All size are approximate.

INSTRUMENT STERILIZER ELECTRIC (ISC 1058)



Description:

Our electric operated instrument sterilizer device is specifically designed for use in medical facilities for diagnostic or surgical instrument sterilizer. This reliable, easy-to-use system, provides safe sterilization for applications that demand high heat.

Sizes:

- 20" X 10" X 8"
- 20" X 8" X 6"
- 18" X 8" X 6"
- 16" X 6" X 4"
- 12" X 6" X 4"

FOGGER MACHINE (ISC 1060)



Description:

It can deliver up to 150 ml/min in a mist of large (30 micron) drop-lets Used in humidification, dust abatement and sanitizing work. The advanced Micro Fogger can apply either oil- or water-based Chemicals. And it's easy when changing liquids.

Features:

- Max. area coverage as compared to any other conventional fogger.
- 304 Grade Stainless Steel Body.
- Chemical Level Indicator.
- Comes with pre-fitted liquid flow control valve for ease Of use.
- 100% Convenient. Portable & Easy to use.

**BOWL STAND SS
 (ISC 1061)**



Description:

- Size: 350mm
- Height: 810 mm

Features

- MS/SS round structure
- Rod for round
- Mounted on 50 mm D.B. Castor
- Finish with paint / polish.

**SOLID LINEN TROLLEY
 (ISC 1063)**



Description:

Push handle at one end
 Frame work of SS tube on 4" castor
 Superior quality plastic bucket
 Pre- treated and Epoxy powder coated
 Also available in S.S frame
 Complete in S.S Frame

**KICK BUCKET / BOWL
 (ISC 1062)**



With Bowl

With Bucket

Description:

Approx. S.S. Bowl of 350 mm dia/SS Bucket
 Frame work made of MS tubes
 Mounted on 50mm castors
 Finish : Stainless Steel.
 Also available in M.S. frame work and SS Basin / Bucket

**LINEN TROLLEY
 (ISC 1064)**



Description:

- Size : 500mm
- Dia Height : 800 mm
- MS/SS flat for support
- Canvas fitted with round
- Mounted on 100 mm D.B. Castor
- Finish with powder coated / heavy polish.

FOLDING WHEELCHAIR (ISC 1065)

Description:

Frame Style: Foldable, Frame Material: M.S.
 Out to out width in open position (inches): 26"
 Seat Width (inches): 18"
 Total width in closing position (inches): 9"
 Rear Wheel Size: 24" Front Wheel Size: 8"
 Seat to floor height (inches): 19"
 Seat Depth (inches): 16"
 Back height (inches): 18"
 Total height (inches): 35"
 Max User Weight Capacity (kgs): 110
 Net Weight (kgs): 17.5 K.G.
 Upholstery: BLACK cushion
 Armrest: Fixed
 Leg-rest: Fixed
 Wheel Quality: SPOKE WHEEL WITH SOLID TYER



FOOT STEP (ISC 1067)



Description:

- Single size : 254 mm L X 225 mm W
- Double size : 254 mm L X 225 mm W X 457 mm H

Feature's:

- Square/round frame
- CRCA sheet top
- Rod for support
- Aluminium channels for anti-slip
- Mounted on rubber shoe
- Pretreated and epoxy powder coated finish

REVOLVING STOOLS (ISC 1066)



Description:

- Size : 304 mm dia
- Height: adjustable 457 mm to 710 mm

Features:

- MS/SS round frame work
- Rod for support
- SS Top / full SS
- Mechanism screw for up / down adjustment
- Mounted on rubber shoe
- Finish with Powder coated paint / polish

ATTENDANT STOOL (ISC 1068)



Description:

MS/SS round frame work
 SS Top / Full SS
 Mounted on rubber shoe
 Finish with Powder coated polish.

EXAMINATION COUCH (ISC 1069)



Description:

- Overall approx. Size; 187 (L) X 51 (W) X 81 (H)
- Adjustable backrest by crank mechanism/gas spring.
- Two section foam padded, upholstered top
- Three drawers
- Three cabinets
- Tray for B.P. apparatus
- Foot Step
- Pre Treated & epoxy powder coated

EXAMINATION TABLE (ISC 1071)



Description:

In order to meet the particular demands of the customers, we are providing the customized Examination Table. These tables are available with the two sections and adjustable flap.

These examination Tables are manufactured using high quality material like MS steel pipe, stainless steel pipe.

Specifications:

- Overall Size; 1830 mm L X 610 mm W X 760 mm H

Features:

- Head side adjustment 75° up on ratchet
- MS tubular construction
- CRCA sheet top
- Mounted on rubber shoe
- Finish with paint

Also Available in Gynae Cut



GYNAE EXAMINATION COUCH (ISC 1070)

Description:

- Overall Approx. Size: 72L X 20W X 26H inch
- Body frame work made of MS CRC tubes
- Two section cushioned top
- Complete with the pair of S.S lithotomy rod made 12 mm S.S Rod
- Back rest adjustable by hand lever
- Epoxy powder coated finish
- Footstep fitted



EXAMINATION & GYNAE TABLE (ISC 1072)



Description:

- Overall Approx. Size: 1830L x 600W x 760H mm.
- Frame work made of MS CRC tubes
- Two section cushioned top
- Complete with the pair of S.S lithotomic rod made 12 mm S.S Rod
- Back rest adjustable by hand lever
- Epoxy powder coated finish

LABOUR TABLE FIX (SS) (ISC 1073)

Description:

Size: 1830mm L X 690mm / 760mm W X 810mm H

Features:

Ms tubular construction. Cover with SS quality of '304' G Leg end 'U' cut.

Lithotomy arrangement, with belt.

Finish with powder coated paint.

Available in full MS also

LABOUR OBS/GYNAE TABLE (ISC 1074)

Description:

Has a stainless steel top in two sections. These are available with the self locking traction handle at the side and also has I.V. Rod & mattress.

Specifications:

- Size: 1870 mm L x 900 mm W x 800 mm H

Features:

- Three section top
- Middle section with "U" cut
- Backrest adjustment on ratchet 75° up
- Leg end section can slide under main frame
- Mechanical gear box assisted trendelenburg 30°up/54°dn
- Three side detachable SS rails
- Both side SS lithotomy or rubber padded lithotomy with belt
- Movable SS hand grips
- Finish with polish (upper part) & powder coated paint for other accessories



LABOUR DELIVERY ROOM BED (HYDRAULIC) (ISC 1076)

Description:

1. Overall Size: 1880L x 660W x 600-800H cmm
2. Tubular frame work mounted on 125mm dia central locking castor.
3. Three section top made of Bakelite sheet covered with mattress
4. Trendelenburg/Reverse Trendelenburg positions adjustments through crank mechanism
5. Height adjustment through high quality hydraulic pump.
6. Back Section adjustment through crank mechanism
7. Leg end section can slide under the main section
8. Height adjustable a pair of foam padded knee crutches.
9. S.S. Telescopic I.V. Rod with 4 hooks
10. 1 Detachable S.S. Tray
11. ABS Head Panel

LABOUR DELIVERY ROOM BED (ELECTRIC) (ISC 1075)



Description:

1. Overall Size: 1880L x 660W x 600-800H mm
2. Tubular frame work mounted on 125mm dia central locking castor.
3. Three section top made of Bakelite sheet covered with 3 section mattress
4. Trendelenburg/Reverse Trendelenburg positions, height adjustment, back section adjustment through electronic actuator system.
5. Leg end section can slide under the main section
6. Height adjustable a pair of foam padded knee crutches.
7. S.S. Telescopic I.V. Rod with 4 hooks
8. Detachable S.S. Tray
9. ABS Head Panel
10. S.S. Grip Handles



**FORMALIN CHAMBER
 (ISC 1077)**



Description:

Our three tray formalin chambers are used in various hospitals for sterilization process. These chambers effectively kills the virus and pther harmful germs that may cause infection.

A-20"x8"x8" (Three Trays), B-23"x8"x8"(Three Trays), C-26"x8"x8" (Three Trays), C-23"x12"x12"(Three Trays),

Also Available in Two Trays

A-12"x7"x6" (Two Trays), B-14"x8"x6"(Two Trays),

**CIDEX TRAY
 (ISC 1079)**



Sizes:
 27"x7"x6" (lock)
 27"x7"x5"

**KIDNEY TRAY
 (ISC 1081)**



Sizes: 6",8",10",12"

**URINAL POT
 (ISC 1083)**



Male & Female

Description:

Our urinal pots are specially designed keeping he convenience of patient mind. The design of the pot allows easily disposal of the collected urine. Made from Heavy gauge stainless steel, these pots are absolutely rust free and very durable.

**INSTRUMENT TRAY WITH COVER
 (ISC 1078)**

Sizes:

8" x 6" 9" x 6",
 10" x 8" 11" x 7",
 11" x 9" 12" x 8"
 12" x 9" 12" x 10"
 14" x 10" 15" x 12"
 18" x 12" 8"x12"x3"



**DRESSING DRUM
 HEAVY JOINED
 (ISC 1080)**

Sizes:

15"X12'
 13"X10"
 12"X10"
 11"X18"
 11"X9"
 9"X9"
 9"X6"



**BED PAN WITH
 COVER SS
 (ISC 1082)**



Description:

Our stainless steel bed pans are completely Resistant to stains & cracks.

The unique design of the pan makes it comfortable to use for patients at hospitals and home.

Available in different Specifications at most competitive prices

**KIDNEY TRAY
 (ISC 1084)**



Description:

Sturdy basin with smooth and round corners.

Designed for use in hospitals. Our basin have stainless steel body with smooth finishing.

The complete range basins can be availed in different sizes based on the requirement of the clients.

**SCRUB STATION DOUBLE
(ISC 1085)**



Description:
Scrub Station wall mounted Scrub Station, made of heavy duty Stainless steel 304 grade designed for splash free usage without touching the taps soap dispensers directly without the handle.

**WAITING AREA CHAIR
(ISC 1087)**



Description :
Three seating chair
Mild steel framework

**WAITING AREA CHAIR
(ISC 1089)**

Description :

- Perforated sheet
- Galvanized arm rest
- Chrome plated finish.
- Available in Three & Two seater
(With Cushion and without cushion)

**WAITING AREA CHAIR
(ISC 1086)**

Description :

- Perforated sheet
- Galvanized arm rest
- Chrome plated finish.
- Available in Three & Two seater
(With Cushion and without cushion)



**TWO SEATER WAITING
AREA CHAIR
(ISC 1088)**



Description :

- Perforated sheet
- Galvanized arm rest
- Chrome plated finish.
- Available in Three & Two seater
(With Cushion and without cushion)



3 Seater

**OFFICE CHAIR &
 WASTE BIN**

**OFFICE CHAIR
 (ISC 1090)**



**WRINGER TROLLEY
 (ISC 1091)**

Description:
 Being a well known organization, we are also engaged in offering a wide range of Color Coded Bins with Trolley to meet the demands of our clients. These products are available in different range of alluring colours and are offered in different sizes and dimensions. All these products are well equipped and ensure long lasting service. Stainless Steel frame and trolley on castors with foot operating system and one Autoclavable and Environment friendly, reusable plastic bins as per Bio Medical Waste colour coding.

- Features:**
- Easy maintenance
 - Durable
 - Attractive in looks
 - Capacity: 30 to 60 liter.




**WASTE BIN TROLLEY
 (ISC 1092)**



Description:
 One, Two, Three and Four Compartment waste segregation system. Stainless Steel trolley on Castors Foot operating system for opening of lid Bins can be interchanged as and when required The bins comply UN & NFX standards of safety. Autoclave-able and environment friendly, Reusable plastic bins as per BMW colour coding Available Bin Size 30 Ltrs.

**LED VIEW BOX DOUBLE
(PREMIUM)
(ISC 1093)**



Description:

We have developed a sleek and effective L.E.D. Viewing system to view M.R.I, C.T and x ray images. We offer a range of single screen, Double Screen, Three Screen, Four Screen viewers. Keeping the needs of the oncologist and radiologists in mind, SI Surgical have developed a sleek and effective L.E.D. Viewing system to view Mammography film images which comes with an option of a sliding magnifying glass.

**LED VIEW BOX SINGLE
(PREMIUM)
(ISC 1095)**



Description:

We have developed a sleek and effective L.E.D. Viewing system to view M.R.I, C.T and x ray images. We offer a range of single screen, Double screen, Three Screen, Four Screen viewers. Keeping the needs of the oncologist and radiologists in mind, We have developed a sleek and effective I.E.D. Viewing system to view Mammography film images which comes with an option of a sliding magnifying glass.

**LED X-RAY VIEW BOX DOUBLE
(ECONOMIC)
(ISC 1094)**

Description:

- Adopts led light source with life of 50000 hours.
- Luminosity of this machine is above 90%.
- Supported by touch screen sensor.
- Light frequency is above 50 kHz.
- Viewers work well within ac 200-250v.
- Views the image details easily due to brightness of 4000 Lux.
- The power is set inside the viewers with ultra thin design.
- Maximum brightness can reach up to 5000 cdm2.



**SINGLE ECONOMIC
(ISC 1096)**



Description:

- Adopts led light source with life of 50000 hours.
- Luminosity of this machine is above 90%.
- Supported by touch screen sensor.
- Light frequency is above 50 kHz.
- Viewers work well within ac 200-250v.
- Views the image details easily due to brightness of 4000 Lux.
- The power is set inside the viewers with ultra thin design.
- Maximum brightness can reach up to 5000 cdm2.


**MATTRESS
(ISC 1097)**



Fowler & ICU



Semi Fowler



Plain

Available in 3 inch & 4 inch

**ABS PANNEL
(ISC 1098)**



MSI-2105

**RALLING (IMPORTED)
(ISC 1099)**



SS Collapsible



Aluminium Collapsible

**I.V POLE
(ISC 1100)**




Imported(SS)

Stainless Steel

**MEDICAL CASTORS
(ISC 1101)**



Available Sizes: 4", 5"



INNOVATION SURGICAL COMPANY

 2, Manik Pirtala Lane, Balitikuri, Howrah- 711113

 Factory address: 265, Roy Bahadur Road,
New Alipore, Kolkata-700053

 innovationsurgicalcompany@gmail.com

 info@innovationsurgical.co.in

CONTACT

Office: 9593263572, 6290936018

Factory: 6290992813

